# SUBJECT INDEX

A	Apaf-1, 73, 75, 78, 82	critical bands, 501, 515-23
Acetylcholine receptor isolation and characteriza-	capase activation pathways and, 75	inferior colliculus and, 503-4
tion of, 345 Affective disorders	cytochrome c release and, 75	primary auditory cortex, 501-23
bipolar disorder, 377–78, 384–85 schizophrenia, 376–85 prefrontal cortex and, 379–84	Apoptosis, 73–82, 89, 102, 233, 236, 580–82, 593 Alzheimer's disease and, 78–79 amoytrophic lateral sclero-	multipeaked tuning curves, 510–12 single peaked tuning curves, 505–10 spectral integration,
Alzheimer's disease, 343,	sis and, 80-81	501-23
368, 372–75 β-amyloid precursor protein, 373–74 APO E4, 375	caspase and, 233 caspase activation pathways and, 73–78 neural development and,	subregions, 516–17 See also Hair cells; Inner ear; Mechanoelectrical transduction
neural apoptosis and, 78–	76–78 chromatin condensation	Axon growth, 579, 592-602 age-dependent loss in,
presenilins, 374–75 Amputationbody representa-	and, 73–75 cytochrome c release, 73–	596–99 CNS survival and regener-
tion and, 1–2, 20–21, 25 differences between central and peripheral deafferentation, 19–21	78, 82 Bcl-2 family of proteins and, 75–78	ation, 592-602 control of, 592-602 electrical activity and,
Amygdala, 155, 161–77, 684–89 auditory pathways, 161–63 conditioned stimulus path-	DNA fragmentation and, 73–75 gain-of-function mutation and, 89, 102 Huntington's disease and,	595–96 glial signals that induce, 595 signaling, 593–94 trophic and inhibitory
ways, 161–66 fear conditioning and, 161–77	79–80 inhibition of, 580–82 neural development and,	stimuli interaction between, 599–602
LTP and, 684–89 memory and, 155, 171–73 synaptic plasticity and,	76–78 polyglutamine-mediated cell death, 236	Axonal transport, 39, 45–56 fast anterograde, 45–51 kinesin and, 45–51
684–89 Amyotrophic lateral sclero- sis, 80–81, 343, 368–70	Arrestin, 45 Attention, 473–95, 564–65 consciousness and, 564–65	motor regulation and attachement, 53-56 retrograde, 52-54
neural apoptosis and, 80– 81	learning and, 477–78, 480,	slow, 45, 51–52 Axotomy, 579, 588–93
Anhidrosis, 781 Anterior cingulate cortex,	neuronal prediction errors and, 473-95	CNS neurons after, 588- 90
486	Audition, 501-23	PNS neurons after, 590-91

В	22, 229-30, 233-35,	in vertebrates, 541-43
Basal ganglia, 185-204	359-64	differentiatiative neural
nucleus accumbens, 185-	Machado-Joseph disease,	precursor divisions
204	222–23, 226, 232–33	Drosophila, 543-45
striatum, 185-86, 190-204	protein aggregation and,	vertebrates, 545
Bcl-2 family of proteins	217, 230, 236–39	final progenitor cell cycle,
cytochrome c release and,	spinobulbar muscular atro-	548-50
75–78	phy (SBMA), 218-20,	late neurogenesis, 545-48
Behavior	229–30, 237	specification of neural pro-
biological foundations of,	spinocerebellar ataxias	genitor cells, 533–35
345	(SCA), 217, 219, 222–28,	Cell migration, 45
cortical coding and, 631-	231–32	Cerebellar climbing fibers,
37	ubiquitin and, 217, 222,	483–85
Behaviorism, 350	225–26, 234, 237–39	Channelopathies, 365–68,
Bipolar disorder, 377-78,	Calbindin	384
384-85	expressionn in macaque	Chemoaffinity hypothesis,
Body representation	thalamus, 130, 135	345
amputation and, 1-2	Calcium channel	Chemosensation, 353
cortical plasticity and, 1,	gain-of-function mutations	Chromatin condensation
5-7, 18-19, 21-29	of, 105–10	apoptosis and, 73–75
brainstem and, 1, 7-8,	epilepsy and, 105-10 cAMP	Circadian rhythms, 353, 713–37
21, 26–29	See Cyclic AMP	circadian clocks in mam-
divergence and, 1, 7–12,	CGMP	malian cells, 732–36
18–19, 21, 28–29	See Cyclic GMP	clock genes
brainstem, 7-8, 21, 28	Caspase, 73–78, 82, 102,	light responsiveness of,
Brainstem	233, 236–37	729–32
afferent selective for koni-	ataxin-3 and, 233	mammalian clock genes
ocellular layers, 137	biochemical pathways of	identification and
body representation and, 1,	activation, 74–78	mRNA expression pat-
7–8, 21, 26–29	apoptosis and, 73–78,	terns, 716–21
plasticity in somatosensory	82	mammalian cytochrome
cortex and, 1, 7-8, 21,	cytochrome c release	genes, 727-29
26–29	and, 75-78	molecular genetics of,
reorganization and, 1, 21	Caspase activated DNase, 74	713-37
transneural atrophy in, 13-	Cell-cell communication, 348	molecular interactions,
16	Cell-cell recognition, 348	724-25
Bushbaby koniocellular path-	Cell death, 236, 579-82, 593	photic input pathways,
way, 128-30, 138-39	polyglutamine-mediated,	722–27
	236	temporal profiles of
C	See also Apoptosis;	mRNA expression, 721-
CAG repeats, 217–39	Regeneration	23
dentatorubropallidoluysian	Cell division, 531-50	Cognition
atrophy, 217, 219, 228-	patterns	premotor cortex and, 394,
30	neuroblast division in	406-8
gain-of-function mutation	Drosophila CNS, 535-	motor mental imagery
of, 237–39	41	and, 406-8
House to discours 210	stome wall liller distriction	C '4' 1 . 1

Cognitive psychology, 350

Huntington's disease, 219- stem cell-like division

Cognitive science, 156-57 benefits of emotion research to, 157 Color vision, 743-70 Computer science cognitive neural science and, 352 Computerized axial tomogradevelopment of, 351 Conditioning amygdala and, 155, 161-77 conditioned stimulus pathways, 161-66 contextual, 163 fear, 155, 159-77 hippocampus and, 159, 163-65 neuroanatomy of, 161-66 Consciousness, 156-57, 175-77. 557-77 as a biological problem. 557-59, 576-77 building block model, 557, 570-73 definition of 559-60 feelings and, 156-57, 175neurobiological correlates of, 558-59, 568-77 scientific study of, 568-70, 576-77 unified field model, 557. 573-77 unified qualitative subjectivity and, 557, 575 Convergence, 1 Cortex, 613-37, 649, 689-92 coding, 613-14, 619-37 population coding, 623single neuron, 620-23 linking mental and neural representations, 631-37 contents, 632-35

function, 635-36

Cyclic AMP (cAMP)

neural representation, 613neuronal survival and ele-19, 631-37 vation and depolarization cognition and behavior of, 582-92 and, 631-37 Cyclic AMP-response elecontent, 616-17 ment binding protein function, 617 (CREB) representation and comneuronal survival and, 581 putation, 617-19 Cyclic GMP (cGMP), 417, synaptic plasticity and, 426-31 689-92 olfactory response regula-See also Cortical coding tion by, 426-31 Cortical coding, 613-14, Cyclic GMP-dependent pro-619-37 tein kinase (PKG), 427 linking mental and neural Cyclic nucleotide-gated representations, 631-37 (cNG) cation channels. contents, 632-35 420 function, 635-36 Cytochrome c. 73-78, 82 population coding, 623-31 amyotrophic lateral sclerocoordinated-coding sis and, 81 hypothesis, 627-29 apoptosis and, 73, 75-76 coordinated noise, 629-Bcl-2 family of proteins and, 75-78 indepent-coding hypothneural development and, esis, 624 76-78 population firing rates, 625-27 Dendritic transport, 57-39 population maps, 624dendritic targeting and, 25 58-59 single neuron coding. Dentatorubropallidoluysian 620-23 atrophy (DRPLA), 27, rate-coding hypothesis, 219, 228-30 620-21 sensory cortical area, nuclear inclusions in, 228 Divergence temporal and spatial cortical plasticity and, 1, scales, 622-23 5, 7-12, 18-19 temporal-coding hypothbrainstem and, 7-8, 21, esis, 621-22 28-29 Cortical distance limit, 8, 10 limits on divergence-Cortical map plasticity, 1, 5-7, 18-19 dependent, 11-12 thalamus and, 7-8 **CREB** See Cyclic AMP-response Dopamine element binding protein modulation of ionic con-Critical bands ductance, 192-95 spectral integration in primodulation of synaptic mary auditory cortex, transmission, 195-97 nucleus accumbens. 501, 515-23

197-99

striatum, 195-97 neurons, 473, 480-82 receptor activation in medium spiny cells, 198-89, 192-204 receptor expression nucleus accumbens, 189 striatal medium spiny neurons, 187-89 striatum, 187-89 receptor subtypes, 186-87 Dorsolateral prefrontal cortex. 486 Drug addiction dopaminergic modulation of neuronal excitability and, 186, 201-4 Drug sensitivity insecticides and Na+ channel inactivation, 100 Dualism, 566-67 Duchenne's muscular dystrophy, 356-59 dystrophin gene and, 356-59 Dynein, 39-62 axonal transport and retrograde, 52, 54 slow, 51-52

E Ear See Inner ear Emotion, 155-77 amygdala and, 155, 161-77 cognitive science and, 156-59 integration, 157-59 conscious feelings and,

156-57, 175-77

motor attachement and

neuronal transport and,

nonneuronal transport and,

regulation, 53-57

organization, 40-43

39-62

40-43

limbic system, 155-59 unconscious processing mechanisms and, 157 Epilepsy, 89, 105-10, 113 calcium channel mutations, 107-10 potassium channel mutations, 105-7 Exocytosis, 349 unified qualitative subjectivity and, 557, 575

F Fear, 155, 159-77 conditioning, 155, 159-77 amygdala and, 155. 159-77 conditioned stimulus pathways, 161-66 contextual, 163 hippocampus and, 159, 163-65 neuroanatomy of, 161-66 Functional brain imaging, 315, 318-33 Functional magnetic resonance (fMRI), 315, 318-33, 351 development of, 351 selective attention in human visual cortex and, 315-16, 318-33 neural representation in object vision pathway, 317-21 top-down bias in, 321-33 Frontal cortex, 486-87

G-protein-coupled receptor, 89, 111-13, 418-22 gain-of-function mutations and, 89, 110-13 rhodopsin mutation, 111 RNA editing of, 112

seven transmembrane receptors olfaction and, 418-22 Gain-of-function mutations. 89-113, 237-39 CAG repeats, 237-39 decreased drug sensitivity, degenerens, 97-98 G protein-coupled receptors, 89, 111-13 GluR-B editing, 93-94 KvB subunits and, 99 Liddle syndrome, 101-2 lurcher mouse, 94-95 neuronal nAChR, 96-97 rhodopsin, 111 slow-channel syndrome, 95-96 voltage-gated Na\* channels persistent activation in, 98-99 weaver mouse, 89-93 Gating spring in inner ear, 288-91 Gestalt psychology, 350 axon growth and, 579, 595 Glutamine repeats See CAG repeats; Polyglutamine diseases Gracile fasciculus, 12 Guanylyl cyclases, 417-31 model for odor recognition, 430-31 odor detection cyclic GMP and, 417, 426-27 ligands, 427-29 receptors, 422-24 signaling pathways, 426-

olfaction and, 417-31

in olfactory tissue, 425

regulation in olfactory

neurons, 427-30

in retina, 424-25

### H

Hair cells, 285-309 transducer adaptation in, 285-309 calcium dependence, 299-303 extent. 298-99 latency, 294 motor model of, 285, 291, 303-9 step size and, 295, 297-98 stimulus-response relation and, 293-94 transduction current decay, 294-95 Hippocampus fear conditioning, 158,

163-65 LTP and, 665-84 synaptic plasticity and, 655-84

Huntington's disease (HD), 79-80, 217, 219-22, 229-35, 359-64 neural apoptosis and, 79neuronal inclusions in. 362-63

nuclear inclusions, 221 pathogenesis, 233-35 ubiquitin and, 222, 234

Inferior colliculus, 503-4 Information processing, 350 Inner ear, 285-309 adaptation in the inner ear. 285-309 eustachian tube and, 287gating spring, 288-91 mechanoelectrical transduction, 285, 288-309 morphology, 286-87 receptor potential, 291-92 synaptic transmission, 292-93

transducer adaptation in, 285-309 vestibular organ mechanics prevailing models, 288 Intentionality consciousness and, 557, 564 linking mental and neural representations, 632-37 contents, 632-35 function, 635-36 Ion channel disorders, 343 Ion channel protein mutations, 365-68 Ion channels gain-of-function mutations, 89-111, 112-13 cardiac long-QT syndrome, 89-90, 103-7. 113 drug sensitivity, 100 epilepsy, 89, 105-10 gating changes, 94-95 K+ channels KvB subunit suppression, 99 Liddle syndrome, 101-2 persistent activation in

94 Ionic basis of nerve impulse, 345 of synaptic transmission at the neuromuscular junction, 345

voltage-gated Na\*

selectivity changes, 90-

channels, 98-99

#### K

Kinesin, 39-62 fast anterograde axonal transport and, 45-56 subunit structure and organization, 48 motor attachment and regulation and, 53-57 nonneuronal cell transport and, 40-43

organization, 40-43 retrograde transport and. slow axonal transport and, 51-52 Koniocellular (K) pathway, 127-46 brainstem afferents, 137 corticogeniculate axons. 136-37 functional circuits of, 135heterogeneity in bushbaby K layers, 139 innervation of extrastriate cortex, 143-44 organization, 131-33 K cell distribution in macaques, 131-32 K layers in primates, 133 quantitative analyses, 132-33 parallel pathways, 145-46 physiological properties of K neurons, 139-42 S layer of, 129-30

L Lateral geniculate nucleus (LGN), 127-46, 441developmental plasticity in. 134-35 koniocellular channel of, 127-46 brainstem afferents, 137 development and plasticity, 133-35 organization, 131-33 parallel pathways, 145retinal innervation, 135lamination, 134 ON, OFF subfields of, 445, 454

orientation selectivity, 445-66 parallel visual processing in, 127, 145-46 relay cells of, 441 Learning attention and, 473-95 conditional sensory-motor association, 400-5 intracortical circuits and. 405-6 learning sensory-motor adaptations, 404-5 motor skill learning, 399-405 movement repetition and practice, 401-2 movement sequence learning, 402-4 neuronal prediction errors and, 473-95 primary motor cortex and. 393, 399-406 sensory-motor adaptation, 400-5 Learning and memory, 155, 161-77, 349-52, 649-94 amygdala and, 171-73 back propagation learning algorithm, 352 consciousness and feelings, 175-77 fear conditioning and, 161 - 77LTP and, 649-94 models of associative memory, 352 synaptic plasticity and, 649-94 synaptic plasticity and memory (SPM) hypothesis, 649-94

working memory, 175-77

cortical map plasticity and,

Lemniscal pathways, 1, 5-9

Liddle syndrome, 101-2

1, 5-9

Limbic system, 155-59 Long-QT syndrome, 89-90, 103-5 Long-term depression (LTD), 649-62, 669 properties of, 653-62, 669 Long-term potentiation (LTP) amvgdala-dependent learning and, 684-89 cortical learning and, 689hippocampus-dependent learning and, 665-84 physiological plasticity in amygdala, 166-71 hippocampal, 167-71 properties, 653-61 input-specificity, 659 metaplasticity, 656-58 naturalistic patterns of induction, 658-59 silent synapses, 660 suggesting role in memory, 656-61 synaptic gain, 659 temporal persistence, 660-61

### M

Machado-Joseph disease pathogenesis, 232-33 spinocerebellar ataxia type 3, 222-23, 226, 232-33 Manic depressive illness, 377-78 Maps of the body See Body representation Materialism, 566-67 Mechanoelectrical transduction, 285, 288-309 calcium dependence, 299-303 extent, 298-99 latency, 294 motor model, 285, 291, 303-9

step size and, 295, 297-98 stimulus-response relation and, 293-94 Medium spiny neurons, 187-89, 192-204 dopamine receptor mRNA expression in, 187-88 dopaminergic modulation of ionic conductances and, 192-97 synaptic transmission and, 195-97 electrophysiological behavior in vivo, 199-202 Memory amygdala and, 171-73 consciousness and feelings, 175-77 working, 175-77 LTD and, 649-94 LTP's properties suggesting role in, 656-61 synaptic plasticity and memory hypothesis, 649-See also Learning; Learning and memory; Longterm potentiation; Synaptic plasticity Microtubule-based transport, 39-62 neuronal migration and, 39, 60-61 Migraine familial hemiplegic, 781-Mind-body problem, 156, 566-68 Mitochondrial disorders, 343, 364-65 Leber's hereditary optic neuropathy, 364-65 Leigh's syndrome, 365 mytochondrial myopathy,

364-65

Molecular genetics, 352-55

Molecular motors, 39-62 axonal transport and, 39, 45-56 dendritic transport and, 57-59 dynein, 39-62 axonal transport and 151 - 54motor attachment and regulation, 53-57 nonneuronal transport and, 40-43 organization, 40-43 kinesin, 39-62 Monism, 566-67 Mood, 565 Motor mental imagery premotor cortex and, 406-8 Motor model of transducer adaptation, 285, 291, 303-9 Ca2+ sensor, 307 external Ca2+ chelator. mechanical resonance of hair bundles, 307 myosin ATPase activity, voltage-evoked bundle movements, 305-6 Mutation gain-of-function See Gain-of-function mutation Myasthenia gravis generation of antibodies against receptor, 345 Myotonia, 366-68

## N

Nerve growth factor (NGF) discovery of, 345 retrograde transport of, 53 Neural circuits intracortical circuits and learning, 405–6, 408–9

primary motor cortex and, Neurobiology 393, 405-6, 408-9 origins of, 343-55 Neural progenitors cognitive neuroscience cell division leading to and, 349-52 specification of, 533-35 molecular genetics and, Drosophila, 533-34 352-55 vertebrates, 534-35 Neurodegeneration cell division pattern CAG repeats and, 217-39 neuroblast division in Huntington's disease, Drosophila CNS, 535-217, 219-22, 229-30, 233-35 stem cell-like divisions spinobulbar muscular in vertebrates, 541-43 atrophy, 218-20, 229differentiative neural pre-30, 237 cursor divisions spinocerebellar ataxias Drosophila, 543-45 (SCA), 217, 219, 222vertebrates, 545 28, 231-33 final progenitor cell cycle, protein aggregation and, 548-50 217, 230, 236-39 precursor cell cycles dur-Neurodegenerative disorders, ing late neurogenesis, 368-75 545-48 Alzheimer's disease, 343, Neural representation, 613-37 368, 372-75 cognitive and behavioral **B-amyloid** precursor processes and, 631-37 protein, 373-74 contents of, 616-17, 632presenilins, 374-75 amyotrophic lateral sclerofunction, 617, 635-36 sis (ALS), 343, 368-70 linking mental and neural Parkinson's disease, 343, representation 368, 370-72 contents, 632-35 candidate genes, 371-72 function, 635-36 Neurogenetics, 352-85 representation and compu-Neurogenin, 534-35 tation, 617-19 Neuronal atrophy Neural signal reorganization and, 1 cortical coding and, 613-Neuronal differentiation, 531, 14, 619-37 548-50 coordinated-coding initiation of, 548-50 hypothesis, 627-29 Neuronal excitability, 185independent-coding 204 hypothesis, 624 Neuronal inclusions, 362-63 rate-coding hypothesis, Neuronal migration, 39, 60-620-21 neural representation and, 613-37 Neuronal pathfinding, 39

Neuronal signaling

352-54

molecular genetics and,

Neurobiological correlates of

59, 568-77

conscious states, 558-

Neuronal survival, 579-9	2
cAMP elevation and, 5	82-
electrical activity and, 585-88	583,
neuronal survival in vivo, 587-88	
trophic responsivene in vitro, 585-87	
extrinsic control of, 582 neurotrophic hypothesi of, 591–92	S
peptide trophic factors and, 581-82	
regeneration and, 579- Neurotrophic factor, 580	602
Neurotrophins, 579-602 neuronal responsivenes	
activity and, 585-87 neuronal survival and rotrophic hypothesis	neu-
591–92 Nociception	
See Pain	
Nociception/orphanin FQ 801-2	
Norepinephrine neurons, 482–83	
Nuclear inclusions, 217, 228	221,
in dentatorubropalliode	ol-
uysian atrophy, 228	
in Huntington's diseas 221	
Nucleus accumbens, 185- dopaminergic modulat 190–97	ion,
ionic conductances, 194-95	
synaptic transmission 197	n,
Nucleus basalis neurons, 473, 483	

# 0

Object recognition, 315–33 neural representation in

object vision pathway, 317-21 competition for, 317-21 selective attention, 315-33 baseline shift, 325-26 bottom-up, sensorydriven mechanisms. 315-17, 332-33 filtering, 323-25 functional brain imaging studies, 315, 318-33 lesion studies, 327-28 sensory suppression and, 319-21 top-down bias in, 321-33 working memory and, 317, 330-33 Odorant receptors guanyl cyclases, 417-31 odor recognition, 421 seven transmembrane. 418-22 signaling pathways, 419-21 Olfaction G-protein-coupled seven transmembrane receptors, 418-22 signaling pathways, 419-21 guanyl cyclases and, 417cGMP and, 426-31 receptors, 422-26 signaling pathways, 426-30 odor recognition model for, 421-22, 430-31 vomeronasal organ (VNO), 419, 422 Opsin, 45 Orbitofrontal cortex, 486-87 Orientation selectivity, 441contrast invariance of 450-66

cortical computation and, 464-66 feedback models of, 460feed-forward model, 441-60, 464-66 failures of, 450-58 geniculate relay cells and, 445 spatial organization of geniculate input to, 445-46 spike threshold, 450 push-pull inhibition, 454-58 same-phase excitation, 457-58, 464-66 p75, 793 Pain cannabinoid receptor, 802 genes, 777-803 involved in modulation of, 797-800 genetics of, 777-803 single gene polymorphisms, 781 neurobiology of, 778-80 neurotrophins and, 791-93 nociception/orphanin FQ, 801-2 polygenic mediation of, 783-86 second messenger molecules, 795-97 sympathetic nervous system and, 790-92 Parallel pathways, 127, 145-46, 743-70 koniocellular pathway and, 127-46 spectral coding in primate retina and, 743-70 Parkinson's disease, 185, 343, 368, 370-72 candidate genes, 371-72

Parvalbumin, 130

Phototropism, 353 Plasticity afferent-dependent, 2 body representation and, 1, 5-7, 18-19, 21-29 cortical map, 1, 5-7 cortical mechanisms of map plasticity, 21-25 developmental koniocellular pathway and, 133-35 divergence-dependent, 1, 5. 7-12 limits on, 11 GABAergic inhibition and, 26 - 28neuronal prediction errors and, 490-92 physiological amygdala and, 166-71 primary motor cortex and, 393-409 electrical stimulation mapping, 396-99 LTD and, 398-99 LTP and, 398-99 See also Synaptic plasticity Polarity, 531, 539-41 epithelial apicobasal cues, 540-41 Polyglutamine diseases, 217-39 CAG repeats, 27-39 inverse relationship between size of repeat and age of onset, 288-30 pathogenesis, 231-39 gain-of-function mutation, 237-39 Huntington's disease, 233-35 invertebrate models, 235 - 36in vitro and cell culture models, 236-37 protein aggregation, 217, 230, 236-39

225-26, 234, 237-39 phenotypic overlap and loss of cell specificity, protein aggregation, 217, 230, 236-39 Positron emission tomography development of, 351 Potassium channel gain-of-function mutations of. 104-7 cardiac long-QT syndrome, 89-90, 103-5 epilepsy, 105-7 Prediction errors, 473-95 attention and, 477-95 cerebellar climbing fibers and, 483-85 dopamine neurons and, 473, 480-82 frontal cortex, 486-87 functions, 489 learning and, 473-95 neuronal plasticity and learning, 490-92 norepinephrine neurons and, 473, 482-83 nucleus basalis neurons and, 473, 483 reinforcement, 489-90 striatum, 488 superior colliculus, 485-86 visual cortex, 487-88 Prefrontal cortex, 379-84 schizophrenia and, 379-84 working memory and, 379-84 Primary auditory cortex (AI), 501-23 characteristic frequency, 505-22 multipeaked curves, 510-12 single peaked tuning curves, 505-10

spinocerebellar ataxias.

ubiquitin and, 217, 222,

231 - 33

spectral integration, 501-23 neuroanatomy of, 517-19 neuronal critical bands and, 501, 515-23 topography, 513-15, subregions, 516-17 Primary motor cortex cognitive activities and, 394, 406-8 intracortical circuits and, 405-6 learning sensory-motor adaptations, 404-5 mental rehearsal of movements, 407-8 movement repetition and practice, 401-2 movement sequence learning, 402-4 learning and, 393, 399-406 conditional sensorymotor associations. 400-5 motor-skill, 399-405 sensory-motor adaptation, 400-5 plasticity and, 393-409 electrical stimulation mapping, 396-99 LTD and, 398-99 LTP and, 398-99 representation patterns and, 393-96, 408 somatotopy, 393-96 voluntary movement, 393-Proneural clusters, 533-34 Protein aggregates, 217, 230, 236-39 polyglutamine diseases and, 217, 230, 236-39 in vitro and cell culture

models, 236-37

Psychophysics, 352

Qualitativeness, 557, 560-61, 575 R Rate-coding hypothesis, cortical coding, 620-21 Regeneration axon growth and, 579, 592-602 cAMP elevation and, 582-92 differences in CNS and PNS, 580, 582-83 neuronal survival and, 579-92 neurotrophic hypothesis of. 591-92 peptide trophic factors and, 581-82 retinal ganglion cells, 579 Relay cells of LGN, 441 Reorganization, 1-29 amputation and, 1-2 brainstem and, 1, 7-8, 13-16, 21, 26-29 neuronal atrophy and, 1 somatosensorty cortex plasticity and, 1, 5-7, 89-19, 21-29 thalamus and, 1, 5-21. 26 - 29Repeat disorders See CAG repeats; Polyglutamine diseases: Trinucleotide repeat disorders Representation See Body representation; Neural representation-Restriction fragment length polymorphisms, 355-56

Retina

274-76

272-74

bipolar cell recording,

ganglion cell recording,

circuitry, 249-77

cell-specific ablation, 266-68 particle-mediated gene transfer, 269-70 transgenic mice, 264-70 viral vectors, 268-69 guanyl cyclases in, 424-25 methods for visualizing cellular components, individual cells, 252-53 living cells, 257-61 synaptic connections, 255-57 quantifying cell populations, 270-72 spectral coding in primateparallel pathways for, 743-70 Retinal ganglion cells (RGCs), 579, 582, 585, regeneration of, 579 Retinal innervation of koniocellular layers, 135-36 Retinal transgenes, 261-70 Retrograde axonal transport. 52-54 Rhodopsingain-of-function mutations in, 111 Schizophrenia, 186, 376-85 prefrontal cortex and, 379working memory and, 378-84 Selective attention in human visual cortex, 315-33 bottom-up sensory-driven mechanisms, 315-17

competition for neural rep-

baseline shift, 325-26

resentation, 317-21

filtering, 323-25

genetic manipulation, 261-

functional brain imaging studies, 318-33 lesion studies, 327-28 sensory suppression and, 319-21 top-down feedback mechanisms, 316-17, 321-33 Sensory transduction, 285-309 transducer adaptation, 285-309 motor model of, 285, 291, 303-9 Simple cells geniculate input to, 445-66 contrast-dependent effective threshold, 453 contrast invariance of. 450-66 orientation tuning of, 449-50 same-phase excitation, 457-58, 464-66 spatial organization of, 445-46 spike threshold, 450 strength of, 446-49 Slow-channel congenital myasthenic syndrome, 95-96 Sensorty cortex plasticity in, 1-29 brainstem and, 1, 7-8, 21, 26-29 cortical mechanisms of. 21 - 25GABAergic inhibition and, 26-28 thalamus and, 1-21, 26-29 Spinal cord, 345 Spinobulbar muscular atrophy (SBMA), 217-20, 229-30, 337 Spinocerebellar ataxias (SCA), 217, 219, 222-28, 231-33

pathogenesis, 231-33 types 1 and 2, 223-26 type 3 (Machado-Joseph disease), 222-23, 226 types 6 and 7, 226-28 Striatum, 185-204, 488 dopamine receptor expression in, 187-89 dopaminergic modulation, 190-97 ionic conductances. 192-94 synaptic transmission. 195-97 Subjectivity consciousness and, 557, 561, 566, 575 emotion studies, 156-57 linking mental and neural representations, 632-37 contents, 632-35 function, 635-36 Suckling behavior, 430 Superior colliculus, 485-86 Synaptic plasticity amygdala-dependent learning and, 684-89 cortical learning and, 689dopamine effects on, 197-99, 204 hippocampus-dependent learning, 649, 665-84 LTD and, 649-62, 669 LTP and, 649-94 and memory, 649-94 microtubule-based transport and, 39, 62 properties that suggest role in learning, 655-56 Synaptic plasticity and memory (SPM) hypothesis, 650-94

assessment criteria, 651-53

dopaminergic modulation

Synaptic transmission, 185,

195-204

of, 195-97, 204

nucleus accumbens, 197-99 striatum, 195-97

### T

Temporal coding, 621-23 hypothesis, 621-22 Thalamus, 1-21, 26-29 lemniscal fibers and, 1, plasticity in somatosensory cortex and, 1, 5-21, 26-29 reorganization in, 1, 12-19 transneural atrophy in, 13ventral posterior nucleus of. 8-11 Tourette's syndrome, 180 Transducin, 45 Transgenes, 249, 261-70 retinal, 261-70 Transport axonal, 39, 45-56 dendritic, 57-59 microtubule-based, 39-62 neuronal, 39-40; 44-62 nonneuronal, 40-43 Trinucleotide repeat disorders CAG repeats, 217, 39, 362 Fragile X repeats, 362 polyglutamine diseases, 217-39 Huntington's disease, 359-64 Triplet repeats See Trinucleotide repeat disorders

### U

Ubiquitin, 217, 222, 225–26, 234, 237–39 in Huntington's disease, 222, 234 pathogenesis of polyglutamine diseases and, 217, 222, 225–26, 234, 237–39

Unity consciousness and, 557, 561-64, 575

#### 1

Vision, 127-46, 315-33, 441-66, 487-88 color vision, 743-70 frontal eye fields, 487 See also Object recognition; Orientation selectivity; Selective attention; Visual cortex; Visual system

Visual cortex competition for neural representation, 317-21 innervation of koniocellular cells and. 142-44 koniocellular pathway and, 127, 142-46 neuronal prediction errors and, 487-88 orientation selectivity, 441-66 feedback models of cortical function, 460-66 feed-forward mdel, 441-60, 464-66

feedback models of cortical function, 460–66 feed-forward mdel, 441–60, 464–66 push-pull inhibition, 454–58, 464–66 same-phase excitation, 457–58, 464–66 selective attention in human, 315–33 top-down bias in, 321–33 baseline shift, 325–26

filtering, 323–25 functional brain imaging studies, 315 increased response sensitivity, 326 lesion studies, 327–28 response enhancement, 321–23, 326 working memory and, 317, 330–33

Visual system monkey calbindin expression, 130, 135 koniocellular neuron distribution in, 131–33 koniocellular neuron, physiological properties, 139–42 koniocellular pathway, 127–46 Voluntary movement, 393–409 primary motor cortex and,

393-409

conditioned sensorymotor association, 400-5 intracortical circuits and, 405-6 motor mental imagery, 406-8 motor-skill learning, 399-405 movement sequence learning, 402-4 sensory-motor adaptations, 404-5 Vomeronasal organ (VNO), 419, 422 W
weaver mouse, 89–93
G protein–gated inward
rectifier channel of, 90–
93
Working memory
prefrontal cortex and, 379–
84
schizophrenia and, 378–84
selective attention and,
317, 330–33

